

REFRESHING YET
TIMELESSLY ”

Classic Ambiance.


600X600MM

Slate

COLLECTION

Embrace a new era of sophistication and style with our exclusive Slate Series, where timeless elegance meets contemporary design.





Size :

600×600mm

Finish :

SLATE PUNCH FINISH

Thickness :



Experience the allure of natural slate textures that bring an authentic touch of the outdoors into your interiors. The rich, earthy tones and intricate patterns mimic the beauty of genuine slate, elevating your space with a touch of nature.



Slate
COLLECTION

Explore our catalog to find the perfect tile that resonates with your style and witness the transformative power of punch-on themed elegance.

Extend the beauty of your interiors to your Indoor & Outdoor spaces, creating a seamless transition with the Slate Series.

SUPERIOR FEATURES OF DIGITAL GVT TILES

The Slate Collection features strength and resilience redefining features ideal to stand against the modern lifestyle usage and atrocities of everyday use.



SOLID BODY

Durable and solid body due to the homogenous fullbody composition of the tiles.




EASY TO CLEAN

Resists stains, scratches, and more requiring effortless regular cleaning only.



ECOLOGICAL & SUSTAINABLE

The collection is a sustainable alternative to marble flooring making it ecological.



ZERO MAINTENANCE

The surfaces are sturdy and resilient requiring no special maintenance.



HIGH STRENGTH

The fullbody composition boosts high strength and resistance ideal for high traffic also.



LOW WATER ABSORPTION

Exceptionally non-porous surface and revolutionary digital print make surface low water absorbing.

Explore extensive application indoors and outdoors with the aesthetic and resilient qualities of the exclusive collection.

APPLICATION AREA



KITCHEN



LIVING ROOM



CORPORATE OFFICES



HOTEL & RESTOURANTS



BATHROOM



PUBLIC PLACE


AIRSLATE

600x
600mm



PUNCH EFFECT

AIRSLATE BEIGE



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



AIRSLATE BEIGE


AIRSLATE

600x
600mm



PUNCH EFFECT

AIRSLATE BIANCO



06 RANDOM PHASES

- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



AIRSLATE BIANCO


AIRSLATE

600x
600mm



PUNCH EFFECT

AIRSLATE CREMA LIGHT



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE



AIRSLATE CREMA LIGHT

AIRSLATE

600x
600mm



PUNCH EFFECT

AIRSLATE MULTY



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



AIRSLATE MULTY


AIRSLATE

600x
600mm



PUNCH EFFECT

AIRSLATE YELLOW



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 


HYGIENIC
SURFACE



AIRSLATE YELLOW


CHIPS

600x
600mm



PUNCH EFFECT

CHIPS GREY



03 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



CHIPS GREY


CHIPS

600x
600mm



PUNCH EFFECT

CHIPS LIGHT GREY



03 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



CHIPS LIGHT GREY

DARENA

600x
600mm



PUNCH EFFECT


DARENA BIANCO



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



DARENA BIANCO

DARENA

600x
600mm




PUNCH EFFECT

DARENA CHOCO



06 RANDOM PHASES

- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



DARENA CHOCO

DARENA

600x
600mm



PUNCH EFFECT


DARENA DOVE



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



DARENA DOVE


DARENA

600x
600mm



PUNCH EFFECT

DARENA GREY



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE




DARENA GREY

ERA

600x
600mm

PUNCH EFFECT

ERA DARK GREY



04 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE



ERA DARK GREY

ERA

600x
600mm



PUNCH EFFECT

ERA LIGHT GREY



04 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE



ERA LIGHT GREY

LEXINATON

600x
600mm




PUNCH EFFECT

LEXINATON BROWN



06 RANDOM PHASES

- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



LEXINATON BROWN

LEXINATON

600x
600mm



PUNCH EFFECT

LEXINATON CHOCO



06 RANDOM PHASES

- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



LEXINATON CHOCO

LEXINATON

600x
600mm



PUNCH EFFECT

LEXINATON CREMA



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



LEXINATON CREMA

LEXINATON

600x
600mm




PUNCH EFFECT

LEXINATON GREY



06 RANDOM PHASES

- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



LEXINATON GREY


LEXINATON

600x
600mm



PUNCH EFFECT

LEXINATON GRIS



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



LEXINATON GRIS

LEXINATON

600x
600mm



PUNCH EFFECT

LEXINATON LIGHT



06 RANDOM PHASES

- | | |
|--|--|
| 
EASY
MAINTENANCE | 
CHEMICAL
RESISTANT |
| 
DIMENSIONAL
STABILITY | 
IMPACT
RESISTANCE |
| 
HIGH
STRENGTH | 
FIRE
RESISTANT |
| 
WATER
RESISTANT | 
HYGIENIC
SURFACE |



LEXINATON LIGHT

LEXINATON

600x
600mm



PUNCH EFFECT

LEXINATON YELOW



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



LEXINATON YELOW


SIMENDE

600x
600mm



PUNCH EFFECT

SIMENDE BEIGE



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION




SIMENDE BEIGE


SIMENDE

600x
600mm

PUNCH EFFECT



SIMENDE CREMA



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT




HYGIENIC
SURFACE



SIMENDE CREMA


SIMENDE

600x
600mm



PUNCH EFFECT

SIMENDE DOVE



06 RANDOM PHASES


- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



SIMENDE DOVE


SIMENDE

600x
600mm



PUNCH EFFECT


SIMENDE GRIS



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



SIMENDE GRIS


SIMENDE

600x
600mm




PUNCH EFFECT

SIMENDE WHITE



06 RANDOM PHASES


- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



SIMENDE WHITE


SPAZIO

600x
600mm



PUNCH EFFECT

SPAZIO BIANCO



06 RANDOM PHASES



EASY
MAINTENANCE



CHEMICAL
RESISTANT



DIMENSIONAL
STABILITY



IMPACT
RESISTANCE



HIGH
STRENGTH



FIRE
RESISTANT



WATER
RESISTANT



HYGIENIC
SURFACE

Slate
COLLECTION



SPAZIO BIANCO


SPAZIO

600x
600mm



PUNCH EFFECT

SPAZIO BROWN



06 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 


HYGIENIC
SURFACE



SPAZIO BROWN


SPAZIO

600x
600mm



PUNCH EFFECT

SPAZIO GREY



06 RANDOM PHASES


- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



SPAZIO GREY


SPAZIO

600x
600mm




PUNCH EFFECT

SPAZIO GRIS



06 RANDOM PHASES

- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE



SPAZIO GRIS

TAIKO


600x
600mm

PUNCH EFFECT

TAIKO CREMA



08 RANDOM PHASES

- 
EASY
MAINTENANCE
- 
CHEMICAL
RESISTANT
- 
DIMENSIONAL
STABILITY
- 
IMPACT
RESISTANCE
- 
HIGH
STRENGTH
- 
FIRE
RESISTANT
- 
WATER
RESISTANT
- 
HYGIENIC
SURFACE

Slate
COLLECTION



TAIKO CREMA

TAIKO

600x
600mm

PUNCH EFFECT


TAIKO DOVE



08 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



TAIKO DOVE

TAIKO

600x
600mm

PUNCH EFFECT


TAIKO TAUPE



08 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE

Slate
COLLECTION



TAIKO TAUPE


TRACIA

600x
600mm



PUNCH EFFECT

TRACIA BROWN



04 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



TRACIA BROWN


TRACIA

600x
600mm



PUNCH EFFECT

TRACIA GREY



04 RANDOM PHASES

- 

EASY
MAINTENANCE
- 

CHEMICAL
RESISTANT
- 

DIMENSIONAL
STABILITY
- 

IMPACT
RESISTANCE
- 

HIGH
STRENGTH
- 

FIRE
RESISTANT
- 

WATER
RESISTANT
- 

HYGIENIC
SURFACE



TRACIA GREY

TECHNOLOGY & AFFILIATIONS

HLT

KEDA

vidres

MODENA

SYSTEM
Ceramics

OUR CERTIFICATE


**UK
CA**



CE



TILES INSTALLATION



Special Laying Instruction:

Tiles Spacers

We always recommend to use the Tile Spacer for laying of different tiles as per its type and size. Tile Spacer is specially designed to create a uniform gap between tiles, this results in proper alignment throughout the tiling area. It is available in different width sizes starting from 2mm width to 10 mm width.

Features and Benefits:

- Spacers accommodate the movements due to thermal variations and different loads
- When filled with the right grout material, they can efficiently reduce the free water flow / leakage through the joints and also make the joints anti - fungal and anti - bacterial
- With spacers, we can create uniform designs and pattern
- Improved aesthetics and dimensional stability to the entire tile/ stone assembly
- It ensures longer life span of tile installation

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/ EN14411 GROUP Bla	TILES VALUE	TEST METHOD
REGULATORY PROPERTIES			
1) Deviation In Length & Width	±0.50%	±0.10%	ISO-10545-2
2) Deviation In Thickness	+5.00%	±2.00%	ISO-10545-2
3) Straightness Of Sides	±0.50%	±0.10%	ISO-10545-2
4) Rectangularity	±0.50%	±0.10%	ISO-10545-2
5) Surface Flatness	±0.50%	±0.10%	ISO-10545-2
6) Color Differences	Unaltered	No Change	ISO-10545-16
7) Glossiness	As Per Manufacturer	Min. 70%	Glossometer
STRUCTURAL PROPERTIES			
1) Water Absorption	≤0.50%	<0.05%	ISO-10545-3
2) Apparent Density	>2.00 gm/cc	>2.28 gm/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
1) Flexural Modulus Of Rupture	Min. 35N/mm ²	Min. 40N/mm ²	ISO-10545-4
2) Flexural Breaking Strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
3) Impact Resistance	As Per Manufacturer	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
1) Deep Abrasion Resistance	Max. 175mm ³	Max. 132mm ³	ISO-10545-6
2) Moh's Hardness	Min. 6	8*	EN101
THERMO HYGROMETRIC PROPERTIES			
1) Frost Resistance	No Damage	Frost Proof	ISO-10545-12
2) Thermal Shock Resistance	No Damage	No Damage	ISO-10545-9
3) Moisture Expansion	Nil	Nil	ISO-10545-10
4) Thermal Expansion	Max 9.0x106	Max 6.5x10 -	ISO-10545-8
CHEMICAL PROPERTIES			
1) Chemical Resistance	No Damage	No Damage	ISO-10545-13
2) Stain Resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
1) Slip Resistance(friction Co Efficient)	>0.40	>0.40	ISO-10545-17

PACKING DETAIL

Size	600x600mm
Thickness (approx.)	8 mm
Pieces / Box	4 pcs.
Area / Box	1.44 sq.mtr.
Wt./Box (approx.)	27 Kgs.